


| REVISIONS | | | | | | | | |
|-----------|-----|----------------|---------|-------|-------|--|--|--|
| REV | ECO | DESCRIPTION | DATE | BY | APPR | | | |
| A1 | - | RELEASE NUMBER | 28AUG19 | BROOK | TOMMY | | | |

Ø12.7±1



| PART NUMBER CHART | | | | | | |
|-------------------|-------------|--|--|--|--|--|
| COLOR | PART NUMBER | | | | | |
| GREY | AT3P-BT | | | | | |
| BLACK | AT3P-BT-BK | | | | | |
| YELLOW | AT3P-BT-YW | | | | | |

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON AT04-3P RECEPTACLE ANY MODIFICTION DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29℃ TO +100℃ [-20°F TO +212°F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

| | SEE PART NUMBER CHART | | | REF:DT3P-BT , DT3P-BT-BK , DT3P-BT-YW | | | | |
|---|-------------------------|--|-------------|--|-------|--|--|--|
| PART NUMBER | | NUMBER | DESCRIPTION | | ITEM | | | |
| QUANTITY | QUANTITY MATERIALS LIST | | | | | | | |
| UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64 | | SIGNATUR | ES DATE | Amphonol | | | | |
| | | DRAWN: BROOK.DIN | IG 28AUG19 | Amphenol | | | | |
| 2 PL DEC ±0.15 3 PL DEC ±0.08 | Angles ±1° | CHECKED: ORION.L | 28AUG19 | Sine Systems - www.amphenol-sine.com | | | | |
| 3) Note reference =X | | ENGINEER: | | 44724 Morley Drive Clinton Township, MI 48036 | | | | |
| | | APPROVAL: TOMMY.X | E 28AUG19 | Clinton Township, Mt 48036 | | | | |
| | | CUSTOMER: | • | BOOT, AT, 3 WAY, RECEPTACLE | | | | |
| PROCESS SPECIFICATIONS: | | THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. | | SIZE TYPE DWG NO: REVI | ISION | | | |
| | | | | A TAB BT VV/ | 1 | | | |
| NEXT ASS'Y: | | | | SCALE: NONE SHEET 1 OF | 1 | | | |